

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	68235	"345".clas.	US-PGPUB; USPAT	AND	ON	2007/07/23 10:26
S2	58606	inductor with capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 10:48
S3	694	S1 S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 10:28
S4	580413	(power or energy or voltage or current) with (sav\$3 or manag\$5 or consumption or recov\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 07:39
S5	466	S1 S2 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 10:35
S7	1	((("2001030633") or ("6404012") or ("2002036605")).PN.	US-PGPUB; USPAT	OR	OFF	2007/07/23 10:38
S8	1	"2001030633"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/23 10:39
S9	15	(van near2 velzen near2 jeroen).in.	US-PGPUB; USPAT; USOCR;	AND	ON	2007/07/23 10:39

				FPRS; EPO; JPO; IBM_TDB			
S10	3		((("20010030633") or ("6404012") or ("20020036605")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/31 08:31
S11	7		("5642018" "5670974" "5786794" "5994929" "6014124" "6072447" "6151001").PN.	US-PGPUB; USPAT	AND	ON	2007/08/01 16:35
S12	105272		(inductor or coil) with capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 11:23
S13	1085		S1 S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 10:48
S14	643		S1 S12 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 10:56
S15	1		("20050248512").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/23 10:56
S16	841723		(power or energy or voltage or current) with (sav\$3 or manag\$5 or consumption or recov\$5 or effc\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/25 16:55
S17	643		S1 S12 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23

				USPAT; USOCR; FPRS; EPO; JPO			11:22
S18	14612	(inductor or coil) with capacitor and (current adj source)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 07:39
S19	105	S1 S18 S16		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 11:25
S20	1486	(inductor or coil) with capacitor with (current adj source)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 15:18
S21	68235	"345".clas.		US-PGPUB; USPAT	AND	ON	2007/07/23 15:18
S22	68235	S21		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 15:18
S23	6	S20 S21		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 16:27
S24	2637	sustain\$3 adj2 (driver or circuit)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/23 16:35
S25	9	sustain\$3 adj2 (driver or circuit) with (current adj source)		US-PGPUB; USPAT;	AND	ON	2007/07/23 16:35

				USOCR; FPRS; EPO; JPO			
S26	1	("5723950").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/24 16:25
S27	30	("3937876"   "4006298"   "4559535"   "4602273"   "5068649"   "5185002"   "5187578"   "5430458"   "5541618"   "5731802"   "5898414"   "6052112").PN. OR ("6151001").URPN.		US-PGPUB; USPAT; USOCR	AND	ON	2007/07/25 08:25
S28	431	(inductor or coil) with capacitor and (current adj source) with (charge and discharge)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 08:34
S29	2	("4866349") or ("5081400").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/25 15:33
S30	16921	(power or energy or voltage or current) adj (sav\$3 or manag\$5 or consumption or recov\$5 or effc\$5) adj (circuit or system)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/25 16:55
S31	1486	(inductor or coil) with capacitor with (current adj source)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/25 16:58
S32	31	S30 S31		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/25 16:58

S33	3	(inductor or coil) with (pixel and capacitor) with (current adj source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/25 16:59
S34	57	("4496879"   "4866349"   "4924218").PN. OR ("5081400").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/25 17:02
S36	0	345/82.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/26 07:35
S37	0	345/82.cls.	US-PGPUB; USPAT	AND	ON	2007/07/26 07:36
S38	903	345/82.ccls.	US-PGPUB; USPAT	AND	ON	2007/07/26 07:36
S39	581521	(power or energy or voltage or current) with (sav\$3 or manag\$5 or consumption or recov\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 07:53
S40	382	S38 S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 07:54
S41	14630	(inductor or coil) with capacitor and (current adj source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 08:18
S42	13	S38 S39 S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 07:40

S43	45921	(recovery or recover) adj3 (circuit or system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 07:53
S44	1	S38 S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 07:53
S45	21	S38 S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 08:18
S46	51	(inductor or coil) with capacitor with (current adj source) with (charge and discharge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 08:35
S48	1879	345/76.ccls.	US-PGPUB; USPAT	AND	ON	2007/07/26 08:35
S49	25	S48 S41	US-PGPUB; USPAT	AND	ON	2007/07/26 08:59
S50	904	buffer adj capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 09:02
S52	68411	"345".clas.	US-PGPUB; USPAT	AND	ON	2007/07/26 09:00
S53	23	S50 S52	US-PGPUB; USPAT	AND	ON	2007/07/26 09:00
S54	64	(buffer adj capacitor) with (inductor or coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO;	AND	ON	2007/07/26 09:03

				JPO				
S55	3	S52 S54		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2007/07/26 09:03	
S56	6	("4866349"   "5670974"   "6111556"   "6483490").PN. OR ("6897834").URPN.		US-PGPUB; USPAT; USOCR	AND	ON	2007/07/26 09:43	
S57	23	("4384287"   "4636789"   "4707692"   "4864182"   "4866349"   "4888523"   "5027040"   "5081400").PN. OR ("6028573").URPN.		US-PGPUB; USPAT; USOCR	AND	ON	2007/07/26 16:38	
S58	23	("4384287"   "4636789"   "4707692"   "4864182"   "4866349"   "4888523"   "5027040"   "5081400").PN. OR ("6028573").URPN.		US-PGPUB; USPAT; USOCR	AND	ON	2007/07/30 11:10	
S59	1	("7230614").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/30 15:01	
S60	0	345/211.clas.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/30 11:14	
S62	1516	345/211.ccls.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/30 11:15	
S63	160257	charge with discharge		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	AND	ON	2007/07/30 11:15	

S64	209	S62 S63		IBM_TDB	AND	ON	2007/07/30 11:16
S65	58701	inductor with capacitor		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB			
S66	58701	S65		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/30 11:16
S67	32	S64 S65		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/30 13:21
S71	1	("6559603").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/30 15:57
S72	9	("4594589"   "5714968"   "5770923"   "5838289"   "5852426"   "5943030"   "6028573"   "6229506"   "6559603").PN. OR ("7230614").URPN.		US-PGPUB; USPAT; USOCR	AND	ON	2007/07/30 15:13
S73	86	((("345/76-83 or 315/169.3).cds.) and (column\$1 or row\$1)) and ((power energy charge current voltage) near\$5 (recover\$3 resupply\$3 recaptur\$3))		US-PGPUB; USPAT	OR	ON	2007/07/31 08:48
S74	1	("5081400").PN.		US-PGPUB; USPAT; USOCR;	OR	OFF	2007/07/30 16:19



				FPRS; EPO; JPO; IBM_TDB			
S75	60	(current adj2 source) with (driv\$3) with (recover\$1)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/31 08:42
S76	1	("5670974").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/31 08:45
S77	2	((("6674417") or ("6111556")).PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/31 08:46
S78	17	((((345/76-83 or 315/169.3).ccds.) and (column\$1 or row\$1)) and ((power energy charge ) near5 (recover\$3 resupply\$3 recaptur\$3)) and (current adj source)		US-PGPUB; USPAT	OR	ON	2007/07/31 11:07
S79	23	("4384287"   "4636789"   "4707692"   "4864182"   "4866349"   "4888523"   "5027040"   "5081400").PN. OR ("6028573").URPN.		US-PGPUB; USPAT; USOCR	AND	ON	2007/07/31 09:01
S80	5178	((345/76-83 or 315/169.3).ccds.)		US-PGPUB; USPAT	OR	ON	2007/07/31 11:07
S81	19758	resonance with (current source)		US-PGPUB; USPAT	OR	ON	2007/07/31 11:08
S82	24874	S80 S81		US-PGPUB; USPAT	OR	ON	2007/07/31 11:08
S83	62	S80 and S81		US-PGPUB; USPAT	OR	ON	2007/07/31 11:08
S84	322	resonance with (current adj source)		US-PGPUB; USPAT	OR	ON	2007/07/31 11:08
S85	0	S84 S80		US-PGPUB;	AND	ON	2007/07/31

				USPAT			11:08
S86	6892	resonance and (current adj source)		US-PGPUB; USPAT	OR	ON	2007/07/31 11:08
S87	21	S86 S80		US-PGPUB; USPAT	AND	ON	2007/07/31 11:09
S88	13	("5081400"   "5828353"   "5861861"   "5912535"   "6111362"   "6175193"   "6222323"   "6297597"   "6304038"   "6376934"   "6376994"   "6501467"   "6556177").PN. OR ("7078865").URPN.		US-PGPUB; USPAT; USOCR	AND	ON	2007/07/31 11:28
S89	2	(blind\$3 adj (energy or power)) with (charg\$3)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/31 13:07
S90	60	(blind\$3 adj (energy or power))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/07/31 14:32
S91	1	("5081400").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/07/31 14:54
S92	1	("6559603").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/08/01 14:45
S93	0	("(bufferadj2capacit\$5)with(pixeladj2capacit\$5)").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/08/01 14:46

S94	13	(buffer adj2 capacit\$5) with (pixel adj2 capacit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 15:11
S95	7	(buffer adj2 capacitor) with ratio with (capacitance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 15:22
S96	139	(buffer adj2 capacitor) with (capacitance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 16:02
S97	5568	((storage or buffer) adj2 capacitor) with (capacitance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 16:03
S98	1420	((storage or buffer) adj2 capacitor) with (capacitance) with (larg\$4 or big\$4 or greater or ratio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 16:12
S99	241	(capacitor or capacitance) with ((larg\$4 or big\$4 or greater or ratio) near5 (pixel adj (capacitor or capacitance)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 16:36
S100	7	("5642018" "5670974" "5786794" "5994929" "6014124" "6072447" "6151001").PN.	US-PGPUB; USPAT	AND	ON	2007/08/01 16:36

S101	0	S99 S100		US-PGPUB; USPAT	AND	ON	2007/08/01 16:36
S102	144420	(capacitor or capacitance) with (larg\$4 or big\$4 or greater or ratio)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 16:36
S103	241	S99 S102		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 16:37
S104	4	S100 S102		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/01 16:37
S105	0	((outside or external) adj (capacitor or capacitance)) with (larg\$4 or big\$4 or greater or ratio) near5 (pixel adj (capacitor or capacitance))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/02 08:14
S106	493	((outside or external) adj (capacitor or capacitance)) with (larg\$4 or big\$4 or greater or ratio)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/02 09:20
S107	35	"345".clas. and S106		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/02 08:14

S108	64	((outside or external) adj (capacitor or capacitance)) with (larg\$4 or big\$4 or greater or ratio) and pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/03 08:28
S109	1	("4866349").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/08/02 11:35
S110	2103	((storing or storage) adj3 (capacitor or capacitance)) with (larg\$4 or big\$4 or greater or ratio) and pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/02 13:46
S111	145	((storing or storage) adj3 (capacitor or capacitance)) with (larg\$4 or big\$4 or greater or ratio) near4 (factor or time) and pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/03 08:05
S112	14	((storing or storage) adj3 (capacitor or capacitance)) with (larg\$4 or big\$4 or greater or ratio) near4 (factor or time) and pixel with ten	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/03 08:54
S113	1	("4349816").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/08/03 08:28
S114	3	((storing or storage) adj3 (capacitor or capacitance)) with pixel with (10:1 or \$2:1)	US-PGPUB; USPAT;	AND	ON	2007/08/03 08:55

				USOCR; FPRS; EPO; JPO; IBM_TDB			
S115	6	((storing or storage) adj3 (capacitor or capacitance)) with (pixel or panel) with (10:1 or \$2:1)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/03 09:09
S116	6	((storing or storage or external) adj3 (capacitor or capacitance)) with (pixel or panel) with (10:1 or \$2:1)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/03 08:55
S117	5849	((organic adj electroluminescence) or OLED) near4 electroluminescence		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/03 11:14
S118	43	((organic adj electroluminescence) or OLED) near4 electroluminescence with fast		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/08/03 11:24
S119	1	("20050248512").PN.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/08/03 11:24

8/6/2007 11:25:29 AM

C:\Documents and Settings\bho1\My Documents\EAST\Workspaces\Applications\10527009.wsp